



## BA 430 410S 316 Stainless Steel Pipe Cold / Hot Rolled 3mm

### Our Product Introduction

#### Basic Information

- Place of Origin: china
- Brand Name: ShengQuan
- Certification: ISO9001:2000
- Model Number: 201/304/304L/316/316L/321/309/310/32750/32760/90
- Minimum Order Quantity: 1ton
- Price: USD1500-USD6000
- Packaging Details: Standard Export Sea-Worthy Packing
- Delivery Time: 5-15days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 15000Tons



#### Product Specification

- Width: Or As Required
- Type: Plate, Coil, Sheet, tube
- Standard: ASTM, JIS, AISI, EN, GB
- Length: Customer's Request
- Surface Treatment: Galvanized
- Technique: Cold Rolled, Hot Rolled
- Grade: SGCC
- Highlight: **Hot Rolled 316 Stainless Steel Pipe,  
3mm 316 Stainless Steel Pipe**



## Product Description

### BA 430 410S 3mm 316 Stainless Steel Sheet 18 Gauge Stainless Steel Sheet Metal 4x8

Solution annealing is performed at 1065 - 1120°C, followed by rapid cooling to prevent the precipitation of the chromium carbides. 316 cannot be hardened by heat treatment. Stress relieving is rarely required due to the high ductility of 316.

Grade 316 stainless steel is readily weldable by most fusion techniques (GTAW / TIG, GMAW / MIG / MAG, MMAW / stick, SAW), with no preheat, postheat or control of interpass temperature needed. It is usually welded with filler metals of the same grade, 316 or 316L (or the silicon containing versions) which retains corrosion resistance and strength. These grades are pre-qualified weld metals to AS1554.6:1994 for welding grade 316 to itself.

|                                           |                                                                                                                                                                           |                     |                                          |
|-------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|------------------------------------------|
| Standard                                  | AISI,ASTM,GB,JIS                                                                                                                                                          | Material            | SGCC,S350GD+Z,S550GD+Z,DX51D,DX52D,DX53D |
| Thickness                                 | 0.16-5mm                                                                                                                                                                  | Width               | 25-1500mm                                |
| Tolerance                                 | +/-0.02mm                                                                                                                                                                 | Zinc coating        | 60-275g/m2                               |
| Coil ID                                   | 508-610MM                                                                                                                                                                 | Coil Weight         | 3-8 tons                                 |
| Technique                                 | Hot rolled, cold rolled                                                                                                                                                   | Package             | seaworthy package                        |
| Certification                             | ISO 9001-2008,SGS,CE,BV                                                                                                                                                   | MOQ                 | 25 TONS (in one 20ft FCL)                |
| Delivery                                  | 15-20 days                                                                                                                                                                | Monthly Output      | 10000 tons                               |
| Surface treatment:                        | oiled, passivation or chromium-free passivation, passivation+oiled, chromium-free passivation+oiled, resistant to fingerprints or chromium-free resistant to fingerprints |                     |                                          |
| Spangle                                   | regular spangle,minimal spangle, zero spangle,big spangle                                                                                                                 |                     |                                          |
| Payment                                   | 30%T/T in advanced+70% balanced;irrevocable L/C at sight                                                                                                                  |                     |                                          |
| Remarks                                   | Insurance is all risks and accept the third party test                                                                                                                    |                     |                                          |
| Mechanical properties of galvanized steel |                                                                                                                                                                           |                     |                                          |
| Usage                                     | Grade                                                                                                                                                                     | Yield strength(MPa) | Tensile strength(MPa)                    |
| Punching galvanized steel                 | DC51D+Z                                                                                                                                                                   | -                   | 270-500                                  |
|                                           | DC52D+Z                                                                                                                                                                   | 140-300             | 270-420                                  |
|                                           | DC53D+Z                                                                                                                                                                   | 140-260             | 270-380                                  |
| Structure galvanized steel                | S280GD+Z                                                                                                                                                                  | ≥280                | ≥360                                     |
|                                           | S350GD+Z                                                                                                                                                                  | ≥350                | ≥420                                     |
|                                           | S550GD+Z                                                                                                                                                                  | ≥550                | ≥560                                     |





#### Packing & Delivery

##### 1. Who are we?

We are based in wuxi, China, start from 2021, sell to Mid East(35.00%), South America(20.00%), Southeast Asia(20.00%), Africa(5.00%), Eastern Asia(5.00%), Northern Europe(5.00%), Southern Europe(5.00%), South Asia(5.00%). There are total about 51-100 people in our office.

##### 2. How can we guarantee quality?

Always a pre-production sample before mass production;  
Always final Inspection before shipment;

##### 3. What can you buy from us?

steel sheet coil, ppgi ppgl, galvanized steel coil, aluminum steel coil sheet, stainless steel

##### 4. Why should you buy from us not from other suppliers?

Integrating the superior resources of China's steel industry, we provide customers with high-quality steel products at preferential prices, and can ensure that the goods are delivered to customers in a timely manner.

##### 5. What services can we provide?

Accepted Delivery Terms: FOB, CFR, CIF, EXW, FCA, DDP, DDU, Express Delivery

Accepted Payment Currency: USD, EUR, CNY;

Accepted Payment Type: T/T, L/C, Credit Card, Weste



**Wuxi Shengquan Metal Products Co., Ltd.**



15370898866



523639146@qq.com



metalsstainless-steel.com

Intersection of Xigang Road and Chuntang Road, Xishan District, Wuxi City